

KRONOS 2066

KRONOS INFORMATION **2.2**

Titanium Dioxide

for superior opacity and high gloss development

Applications

High-gloss gravure and flexographic inks
 UV-cured printing inks
 Reverse and lamination printing
 Can coatings
 Industrial coatings and wood finishes for interior use

Properties

KRONOS 2066 Titanium Dioxide

- is very economical in use due to its outstanding opacity
- imparts a high degree of gloss to inks and coatings
- displays rapid wetting performance and excellent dispersibility
- provides superior tinting strength and a warm tone
- is recommended for indoor applications only

Product Characteristics

Production	rutile pigment produced by the sulphate process
Surface treatment	aluminium compounds
TiO ₂ content (DIN EN ISO 591)	≥ 95%
Standard classification (DIN EN ISO 591-1)	R 2
ASTM D 476	Type II & III
Density (DIN EN ISO 787-10)*	4.1 g/cm ³
Bulking value*	0.0293 gal/lb
Oil absorption (DIN EN ISO 787-5)*	17 g/100 g pigment
Colour index	Pigment White 6 (77891)
CAS No.	13463-67-7
REACH Registration No.	01-2119489379-17-xxxx
U.S. Food and Drug Administration (FDA): Compliance with the FDA requirements depends on the end use or final product application. Detailed information can be obtained via productstewardship@kronosww.com	

* Typical value

The information in this publication is, to the best of our knowledge, true and accurate, but since the conditions of use are beyond our control, no warranty is given or to be implied in respect of such information. In every case, caution must be exercised to avoid violation or infringement of statutory obligations and any rights belonging to a third party. We are, at all times, willing to study customers' specific outlets involving our products in order to enable their most effective use.